

COMSUPPLY

PARTITIONING



Product Catalogue

JANUARY 2015

SignatureTM S E R I E S



Comsupply is proud to announce the addition of several new items to the ever evolving Signature Series.

These additions have been designed to enhance the image and environment of today's office interior, and offers the architect, builder and contractor a complete system to accomodate every aspect in design.




This unique system offers the options of centreline glazing, frontline glazing and double glazing with systems available for 64mm steel stud clad with 13mm plasterboard.


Glass thickness can range from 6.00mm through to 12.00mm. This flexibility will give unparalleled design opportunities, previously not available.



Index

1000 - 7000 Series Framing Extrusions	1-8
Door Stops	9
500 - 700 Series Extrusions	9-10
Skirtings / Angles	11-12
45mm Door Sections / Top Hung / Tracks	13-14
Misc Framing Extrusions	15
Accessories	16-17
Glazing	18-20
Door Vents / Vision Panels	21
Hinges / Door Stops / Hardware	22-27
Assembly details	28-41





Centre Glazed - 104x25mm

SIG 1000 - Main Frame

SIG 1001 - Main Frame

SIG 1002 - Sill / Transome














SIG 1003 - Sill Bead

SIG 1004 - Glazing Adaptor




SIG 1005 - Wide Flat Filler

SIG 1006 - Shadowline Head

SIG 1007 - Plain Frame











SIG 1009 - Glazing Adaptor

SIG 1010 - Flat Filler

SIG 1008 - Door Frame 35mm

SIG 6008 - Door Frame 50mm


Assembly




Front Glazed - 104x25mm

SIG 2001 - Main Frame

SIG 2002 - Sill / Transome

SIG 2004 - Mullion

SIG 702 - Sill Bead

SIG 2009 - Glazing Adaptor
Assembly



Double Glazed - 104x25mm



SIG 3001 - Main Frame




SIG 3002 - Sill / Transome



SIG 3004 - Glazing Adaptor














SIG 702 - Sill Bead




SIG 3009 - Glazing Adaptor





Assembly




Centre Glazed - 104x35mm

SIG 1008 - Main Frame

SIG 4002 - Sill / Transome

SIG 1010 - Flat Filler


SIG 1003 - Sill Bead

SIG 1009 - Glazing Adaptor

SIG 1005 - Flat Filler
Assembly

SIG 1009

SIG 1010

SIG 1005

SIG 4002

Centre Glazed - 104x44mm



SIG 5008 - Main Frame




SIG 5002 - Sill / Transome



SIG 1010 - Flat Filler










SIG 1003 - Sill Bead









SIG 1009 - Glazing Adaptor

Assembly




Centre Glazed - 104x50mm

SIG 6008 - Main Frame

SIG 6002 - Sill / Transome


SIG 1010 - Flat Filler

SIG 1003 - Sill Bead

SIG 1009 - Glazing Adaptor
Assembly


Front Glazed - 104x50mm



SIG 7001 - Main Frame




SIG 7002 - Sill / Transome



SIG 1010 - Flat Filler




SIG 702 - Sill Bead




SIG 2009 - Glazing Adaptor


Assembly




SIG 2009




SIG 1010














SIG 2009




SIG 1010



SIG 7002

Door Stops

SIG 1035 - 35mm Door Stop

SIG 1040 - 40mm Door Stop

SIG 1045 - 45mm Door Stop

SIG 1050 - Pocket Filler

25mm Channel Glazing

501 - Glazing Adapter

502 - Bead

503 - Glazing Channel

Centre Glazed - 45x27mm




SIG 701 - Frame




SIG 702 - Bead




SIG 703 - Cover




SIG 704 - 35mm Door Frame




SIG 705 - 45mm Door Frame



SIG 706 - Frame



SIG 712 - 45mm Square Tube




SIG711 - 150mm Skirting

SIG716 - 150 x 1.8 Flat Bar

SIG710 - 100mm Skirting

SIG715 - 100 x 1.6 Flat Bar

SIG720 - 100 x 3 Flat Bar

*Not stocked in Perth / Ex East


SIG718 - 50mm Skirting

SIG717 - 50 x 3 Flat Bar

SIG713 - 25 x 3 Flat Bar

SIG719 - 50 x 1.6 Flat Bar

SIG714 - 25 x 1.6 Flat Bar

ANGLES



12 x 12 x 1.6 Angle



25 x 20 x 1.6 Angle




20 x 12 x 1.6 Angle



25 x 25 x 1.6 Angle




25 x 12 x 1.6 Angle










32 x 32 x 3 Angle






20 x 20 x 1.6 Angle



50 x 50 x 1.6 Angle


CD-154 - Wide Hinge Stile

CD-155 - Wide Lock Stile

CD-159 - Wide Sliding Stile

CD-124 - Mid Rail

CD-311 - Narrow Hinge Stile

CD-312 - Narrow Lock Stile

CD-322 - Narrow Sliding Stile


CD-314 - Door Bead

CD-313 - Top Rail

CD-315 - Bottom/Top Rail




SIG 900 - Track




SIG 901 - Pelmet Cover



SIG902 - Head Track/Receiver



Aluminium / Brass Track




CD-200 - Plant-on Track




CD-201 - Track Base

Full details available
on request




76 x 35mm

Full details available
on request



76mm Stud Framing

Full details available
on request



92mm Stud Framing

FRAMING / SKIRTING ACCESSORIES



180° Joiner



90° Corner Stake



135° Corner Stake



Door Tape COM 89

COLOURS
BLACK
GREY




PB69625 - Schlegel Pile


ROLL SIZES
100m
350m



701 Corners



704 Corners



705 Corners



710 Skirting Corners

COLOURS
BLACK
GREY



711 Skirting Corners

COLOURS
BLACK
GREY

COMMERCIAL DOOR / TRACK ACCESSORIES



SIG 903 - Top Hung Roller



SIG 904 - Pelmet Clip



SIG 905 - End Cover Plate

COLOURS

BLACK
GREY

SIG 906 - Floor Twin Roller Guide



SIG 907 - Top Track Door Stop



Door Spigot Set



7044 - SNG Tandem Nylon Rollers 80kg



Jacking Screw

Drill Jigs

Jig 1

1000/4000 Series (104 x 25 / 104 x 35)

Jig 2

5000 Series (104 x 45)

Jig 3

6000 Series (104 x 50)



GLAZING RUBBERS



ROLL SIZE
350 MTRS

COLOURS
BLACK
GREY
FROSTED

COM12 Glazing Wedge



ROLL SIZE
200 MTRS

COLOURS
BLACK
GREY
FROSTED

COM10 Glazing Wedge



ROLL SIZE
100 MTRS
200 MTRS

COLOURS
BLACK
GREY
FROSTED

P40 Glazing Wedge



ROLL SIZE
150 MTRS

COLOURS
BLACK
GREY
FROSTED

COM6 Glazing Wedge



ROLL SIZE
200 MTRS

P43 Captive Wedge



ROLL SIZE
150 MTRS

P44 Captive Wedge



ROLL SIZE
150 MTRS
250 MTRS

P113 Glazing Wedge



ROLL SIZE
100 MTRS
200 MTRS

P115 Glazing Wedge



SIZES
10 x 3
10 x 5
10 x 12
12 x 14


Setting Blocks



ROLL SIZE
75 MTRS
100 MTRS


P117 Glazing Wedge

500 Series




<u>Glass Size</u>	<u>Part #</u>
6.38mm	P115 / P117
10.38mm	P115 / P115
12.38mm	P113 / P115

700 - 7000 Series




<u>Glass Size</u>	<u>Part #</u>
6.38mm	COM 6 / COM 6
8.38mm	P40 / P40
10.38mm	COM 10 / COM 10
12.38mm	COM 12 / COM 12




3000 Series

Glazing Gap = 16.7mm




6mm GLASS

P44
with
COM6



10mm GLASS

P43/P41
or
P42/P40



12mm GLASS

P42
with
P41

DOOR VENTS / VISION PANELS

Door Vent



<u>Width & Height</u>	<u>Cut Out Size</u>
600 x 150	605 x 155
600 x 200 *	605 x 205
600 x 250	605 x 255
600 x 300 *	605 x 305
600 x 450	605 x 455
600 x 600	605 x 605
600 x 750	605 x 755
600 x 900	605 x 905
Anodise or powdercoat finishes available. Special sizes on request	

* Stocked in Perth - Clear Anodised

Vision Panels



<u>Width & Height</u>	<u>Cut Out Size</u>
300 x 200*	300 x 200
400 x 400*	400 x 400
600 x 200*	600 x 200
600 x 300*	600 x 300
600 x 600*	600 x 600
900 x 200	900 x 200
900 x 600	900 x 600
1700 x 200	1700 x 200
Anodise or powdercoat finishes available. Special sizes on request	


* Stocked in Perth - Clear Anodised

Double Glazed Panels
with
Venetians

<u>Width & Height</u>	<u>Cut Out Size</u>
400 x 400*	400 x 400
600 x 300*	600 x 300
600 x 600*	600 x 600
900 x 300	900 x 300
900 x 600	900 x 600
Anodise or powdercoat finishes available. Special sizes on request	

* Stocked ex East - Clear Anodised

HINGES / DOOR STOPS



A166 - 100mm Offset

COLOURS

Black
C/A



A117 - 110mm Offset

COLOURS

Black
C/A



A105 Hinge - 130mm Centreline

COLOURS

ADG
Black
C/A
White
Silver Lustre



A115 - 110mm Centreline

COLOURS


ADG
Black
Precious Silver
C/A
White



A104 Hinge

COLOURS

ADG
Black
P/C Bronze
C/A
White
Precious Silver
Silver Lustre



A168 - 100mm Offset Tapered Leaf



Sliding Door Stop




Hinged Door Stop

Locks and Handles
refer to
Commercial Catalogue




1000 Series


(Door Thickness = 35mm)



(Door Thickness = 40mm)




(Door Thickness = 45mm)




700 Series

(Door Thickness = 35mm)




A166

(Door Thickness = 38mm)



A117

(Door Thickness = 40-45mm)



A117

- (1) Determine - **DOOR FRAME**
e.g. 704/705 etc.
- (2) Determine - **DOOR THICKNESS**
e.g. 35/40mm etc.
- (3) Determine - **DOOR HEIGHT & MASS**
e.g. 2700 high - 75kg etc.
- (4) **HINGES** per door
- (5) **FIXING** - Always fix the longest leaf to the door frame using stainless steel undercut self tapping screws
- (6) WHEN fixing the inner leaf to the wooden door screw size 32mm x 10# is recommended

APPROXIMATE DOOR WEIGHTS

Size = 2040mm x 820mm

Aluminium Frame 10mm Glass = 46kgs

40mm Core Material Door = 42kgs

704 Door Frame - 35mm doors

DOOR SIZE: ALL DOOR SIZES 3 HINGES

DOOR SIZE: Up to 2100mm High 3 HINGES
2100mm to 2700mm 4 HINGES

704 Door Frame - 38mm doors

DOOR SIZE: Up to 2100mm High	3 HINGES
2100mm to 2700mm	4 HINGES

705 Door Frame - 40mm doors

DOOR SIZE: ALL DOOR SIZES 3 HINGES


DOOR SIZE: Up to 2100mm High	3 HINGES
2100mm to 2700mm	4 HINGES

705 Door Frame - 45mm doors

DOOR SIZE: Up to 2100mm High	3 HINGES
2100mm to 2700mm	4 HINGES

1000 Series - 35mm doors

A117




SOLID AND LIGHT WEIGHT DOORS
MAX DOOR MASS = 50KGS

DOOR SIZE: Up to 2100mm High	3 HINGES
2100mm to 2700mm	4 HINGES

1000 Series - 40mm doors


A117



SOLID AND LIGHT WEIGHT DOORS
MAX DOOR MASS = 50KGS

DOOR SIZE: Up to 2100mm High	3 HINGES
2100mm to 2700mm	4 HINGES

A115




SOLID AND LIGHT WEIGHT DOORS
MAX DOOR MASS = 40KGS

DOOR SIZE: Up to 2100mm High	3 HINGES
2100mm to 2700mm	4 HINGES

1000 Series - 45mm doors


A117



ALUMINIUM AND TIMBER DOORS
MAX DOOR MASS = 50KGS

DOOR SIZE: Up to 2100mm High	3 HINGES
2100mm to 2700mm	4 HINGES


A115



ALUMINIUM AND TIMBER DOORS
MAX DOOR MASS = 40KGS



DOOR SIZE: Up to 2100mm High	3 HINGES
2100mm to 2700mm	4 HINGES


A105





ALUMINIUM AND TIMBER DOORS
MAX DOOR MASS = 80KGS


DOOR SIZE: Up to 2100mm High	3 HINGES
2100mm to 2700mm	4 HINGES






































COMSUPPLY